



防爆电气设备
Electrical Apparatus for Explosive Atmospheres

防爆合格证

CERTIFICATE OF CONFORMITY

证书编号 No: CLEx25.3290

制 造 商 青天伟业仪器仪表有限公司
Manufacturer 地址: 河南省开封市祥符区开封黄龙工业园区王白路1号

产 品 名 称 电磁流量计
Name of Product

型 号 规 格 QTLD AC220V 20W
Type Specification

防 爆 标 志 Ex db mb IIC T6 Gb
Ex-Marking

产 品 标 准 Q/QT 03-2025
Product Standards

总 装 图 号 QTLD.00.00
Drawing No

经对上述产品图样及技术文件的审查和样品检验, 确认符合下列标准:
The drawings, technical documents and the samples are verified and certified according to standard(s) for safety as below:

GB/T3836.1-2021 爆炸性环境 第1部分: 设备 通用要求
GB/T3836.2-2021 爆炸性环境 第2部分: 由隔爆外壳“d”保护的
GB/T3836.9-2021 爆炸性环境 第9部分: 由浇封型“m”保护的

说 明 事 项
Explanation

1. 可代表相同结构产品: DC24V;
2. 外壳防护等级: IP66;
3. 产品安装和使用时须配装用填料夹紧的电缆引入装置。

批 准
Approved by

刘畅

发 证 日 期
Date of issue

2025年05月13日

有 效 期 至
Valid date

2030年05月12日



本证书仅对符合送检样品的产品有效, 证书持有人有责任保证产品符合标准规定。
This certificate is only valid for the products which identify with the sample(s) tested and verify certificate have the responsibility to ensure the products complying with relevant standard(s).

地址: 中国·辽宁 沈阳经济技术开发区细河四北街6号
ADD: No.6, Xihe 4 North Street, Shenyang Economic & technological Development Area, Liaoning, China
电话 TEL: 024-62832918 62832910 邮编 P.C: 110027
E-mail: gjdyfb@163.com http://dyfb.syzjy.net 13210517206



2402166

信息页



Electrical Apparatus for Explosive Atmospheres

CERTIFICATE OF CONFORMITY

No: **CLEx25.3290**

Manufacturer Q&T Instrument Co.,Ltd.
No.1, Wangbai Road, Huanglong Industrial Zone,
Kaifeng, Henan province

Name of Product Electromagnetic Flowmeter

Type Specification QTLD AC220V 20W

Ex-Marking Ex db mb IIC T6 Gb

Product Standards Q/QT 03-2025

Drawing No QTLD. 00. 00

The drawings, technical documents and the samples are verified and certified according to standard(s) for safety as below:

GB/T3836.1-2021 Explosive atmospheres—Part 1:Equipment-General requirements
GB/T3836.2-2021 Explosive atmospheres—Part 2:Equipment protection by flameproof enclosures “d”
GB/T3836.9-2021 Explosive atmospheres—Part 9:Equipment protection by encapsulation “m”

Explanation 1. May represent products with the same structure: DC24V;
2. Degree of protection of enclosure: IP66;
3. Cable entry devices that are clamped with fillers must be installed and used during product installation and use.

Approved by

刘畅

Date of issue 2025/05/13

Valid date 2030/05/12

沈阳产品质量监督检验院
Shen Yang Product Quality Supervision And Inspection Institute
国家低压防爆电器质量检验检测中心(辽宁)
National quality inspection and testing center for low voltage
explosion-proof electrical apparatus (Liaoning)

This certificate is only valid for the products which identify with the sample(s) tested and verify certificate have the responsibility to ensure the products complying with relevant standard(s).

ADD: No.6, Xihe 4 North Street, Shenyang Economic & technological Development Area, Liaoning, China
TEL: 024-62832918 62832910 P.C: 110027
E-mail: gjdyfb@163.com http://dyfb.syzjy.net 12390517103

